

➤ DRC-20D

DRC内冷钻头20D

DRC-Solid Carbide Drill with Internal Coolant 20D

能高效率, 高精度钻削难加工材料, 适用于从低速至高速的切削。

The High efficiency ,high precision drilling difficult processing materials,suitable for cutting from low speed to high speed.



ITEM CODE	d1-m7	L1	LU	Dh6	LS	L
DRC20D-003	3	70	62	Φ6	36	110
DRC20D-031	3.1	83	72	Φ6	36	123
DRC20D-032	3.2	83	72	Φ6	36	123
DRC20D-033	3.3	83	72	Φ6	36	123
DRC20D-034	3.4	83	72	Φ6	36	123
DRC20D-035	3.5	83	72	Φ6	36	123
DRC20D-036	3.6	96	84	Φ6	36	136
DRC20D-037	3.7	96	84	Φ6	36	136
DRC20D-038	3.8	96	84	Φ6	36	136
DRC20D-039	3.9	96	84	Φ6	36	136
DRC20D-040	4	96	84	Φ6	36	136
DRC20D-041	4.1	108	96	Φ6	36	148
DRC20D-042	4.2	108	96	Φ6	36	148
DRC20D-043	4.3	108	96	Φ6	36	148
DRC20D-044	4.4	108	96	Φ6	36	148
DRC20D-045	4.5	108	96	Φ6	36	148
DRC20D-046	4.6	118	106	Φ6	36	158
DRC20D-047	4.7	118	106	Φ6	36	158
DRC20D-048	4.8	118	106	Φ6	36	158
DRC20D-049	4.9	118	106	Φ6	36	158
DRC20D-050	5	118	106	Φ6	36	158
DRC20D-051	5.1	128	116	Φ6	36	168
DRC20D-052	5.2	128	116	Φ6	36	168
DRC20D-053	5.3	128	116	Φ6	36	168
DRC20D-054	5.4	128	116	Φ6	36	168
DRC20D-055	5.5	128	116	Φ6	36	168
DRC20D-056	5.6	140	126	Φ6	36	180
DRC20D-057	5.7	140	126	Φ6	36	180
DRC20D-058	5.8	140	126	Φ6	36	180

内冷钻头


➤ DRC-20D

DRC内冷钻头20D

DRC-Solid Carbide Drill with Internal Coolant 20D

DRC-20D

内冷钻头
Coolant-fed Twist Drill



ITEM CODE	d1-m7	L1	LU	Dh6	LS	L
DRC20D-059	5.9	140	126	Φ6	36	180
DRC20D-060	6	140	126	Φ6	36	180
DRC20D-061	6.1	150	132	Φ8	36	192
DRC20D-062	6.2	150	132	Φ8	36	192
DRC20D-063	6.3	150	132	Φ8	36	192
DRC20D-064	6.4	150	132	Φ8	36	192
DRC20D-065	6.5	150	132	Φ8	36	192
DRC20D-066	6.6	162	144	Φ8	36	202
DRC20D-067	6.7	162	144	Φ8	36	202
DRC20D-068	6.8	162	144	Φ8	36	202
DRC20D-069	6.9	162	144	Φ8	36	202
DRC20D-070	7	162	144	Φ8	36	202
DRC20D-071	7.1	173	155	Φ8	36	213
DRC20D-072	7.2	173	155	Φ8	36	213
DRC20D-073	7.3	173	155	Φ8	36	213
DRC20D-074	7.4	173	155	Φ8	36	213
DRC20D-075	7.5	173	155	Φ8	36	213
DRC20D-076	7.6	183	165	Φ8	36	223
DRC20D-077	7.7	183	165	Φ8	36	223
DRC20D-078	7.8	183	165	Φ8	36	223
DRC20D-079	7.9	183	165	Φ8	36	223
DRC20D-080	8	183	165	Φ8	36	223
DRC20D-081	8.1	195	176	Φ10	40	239
DRC20D-082	8.2	195	176	Φ10	40	239
DRC20D-083	8.3	195	176	Φ10	40	239
DRC20D-084	8.4	195	176	Φ10	40	239
DRC20D-085	8.5	195	176	Φ10	40	239
DRC20D-086	8.6	205	186	Φ10	40	249
DRC20D-087	8.7	205	186	Φ10	40	249
DRC20D-088	8.8	205	186	Φ10	40	249
DRC20D-089	8.9	205	186	Φ10	40	249
DRC20D-090	9	205	186	Φ10	40	249
DRC20D-091	9.1	218	196	Φ10	40	262

内冷钻头

➤ DRC- 20D

DRC内冷钻头20D

DRC-Solid Carbide Drill with Internal Coolant 20D

DRC-20D

内冷钻头

Coolant-fed Twist Drill



ITEM CODE	d1-m7	L1	LU	Dh6	LS	L
DRC20D-092	9.2	218	196	Φ10	40	262
DRC20D-093	9.3	218	196	Φ10	40	262
DRC20D-094	9.4	218	196	Φ10	40	262
DRC20D-095	9.5	218	196	Φ10	40	262
DRC20D-096	9.6	228	206	Φ10	40	272
DRC20D-097	9.7	228	206	Φ10	40	272
DRC20D-098	9.8	228	206	Φ10	40	272
DRC20D-099	9.9	228	206	Φ10	40	272
DRC20D-100	10	228	206	Φ10	40	272
DRC20D-101	10.1	242	220	Φ12	45	292
DRC20D-102	10.2	242	220	Φ12	45	292
DRC20D-103	10.3	242	220	Φ12	45	292
DRC20D-104	10.4	242	220	Φ12	45	292
DRC20D-105	10.5	242	220	Φ12	45	292
DRC20D-106	10.6	250	228	Φ12	45	300
DRC20D-107	10.7	250	228	Φ12	45	300
DRC20D-108	10.8	250	228	Φ12	45	300
DRC20D-109	10.9	250	228	Φ12	45	300
DRC20D-110	11	250	228	Φ12	45	300
DRC20D-111	11.1	265	240	Φ12	45	315
DRC20D-112	11.2	265	240	Φ12	45	315
DRC20D-113	11.3	265	240	Φ12	45	315
DRC20D-114	11.4	265	240	Φ12	45	315
DRC20D-115	11.5	265	240	Φ12	45	315
DRC20D-116	11.6	275	250	Φ12	45	325
DRC20D-117	11.7	275	250	Φ12	45	325
DRC20D-118	11.8	275	250	Φ12	45	325
DRC20D-119	11.9	275	250	Φ12	45	325
DRC20D-120	12	275	250	Φ12	45	325
DRC20D-125	12.5	275	250	Φ14	45	325
DRC20D-127	12.7	295	265	Φ14	45	338
DRC20D-128	12.8	295	265	Φ14	45	338
DRC20D-130	13	295	265	Φ14	45	338

内冷钻头

